



2024

PRODUCT CATALOGUE



ATLAS ABRASIVES

COMPETITIVE SOLUTIONS
FOR CUTTING,
GRINDING, SANDING
& FINISHING.



CONTENTS

Atlas provides competitive solutions for cutting, grinding, sanding and finishing in the metal fabrication, maintenance and repair, wood, construction and hardware industries.

INTRODUCTION

04

A strong brand heritage	04
Differentiation in the range	04
Our markets	05
Supporting sustainability	06
Merchandising displays	07
MyAbrasives	08

CUTTING DISCS & GRINDING WHEELS

09

Understanding the product	10
Application colour coding	10
Pictograms	11
Ultra Thin cutting	12
Conventional cutting	13
Grinding	15
Stationary machines	16
Chop Saws	17
Petrol Saws	17

COATED ABRASIVES

19

Understanding the product	20
Pictograms	22
Fibre discs & backup pads for Angle Grinders	23
Flap discs for Angle Grinders	24
Discs for Orbital Sanders	26
Sheets for Manual sanding	34
Sponges for Manual sanding	37
Rolls for Manual sanding	38
Portable and narrow belts for Machine sanding	42
Flap wheels with spindle and with flanges	47
Non-Woven discs for Angle Grinders	50

CARBIDE BURRS

51

Understanding the product	52
Application by shape	53
Product recommendation	53
Carbide burrs	54

DIAMOND BLADES

55

Understanding the product	56
Application colour coding	56
Pictograms	57
Diamond blades	58

A NEW BRAND IMAGE

This year, we're delighted to unveil a new brand design across the Atlas portfolio, from product packaging and merchandising, to the catalogue and website. Evolving the brand provides a fresh, contemporary look and feel. We've also spent time understanding what's important for our customers and end users when selecting the products they need. This is reflected in the use of larger branding across the design for instant recognition, improved use of colour coding for better differentiation between products, inclusion of application imagery and the addition of clear quality tier communication. In addition, the product portfolio itself has expanded, and now offers more coated abrasive solutions than ever before!

Whilst changes have been made, rest assured, we continue to provide value and simplicity through a cost-effective range of products with the same great quality you've come to expect from Atlas.



DESIGN EVOLUTION

Improving communication through:

- Larger branding
- Use of brighter, more impactful colours.
- Addition of application imagery
- Clear quality tiering

DIFFERENTIATION IN THE RANGE

Across many product lines, Atlas offers a choice of abrasive performance, providing better product differentiation with a new quality tiering system of 'good' (Bronze) and 'better' (Silver) based on price versus performance, aligned to customer needs.

BRONZE



GOOD PRODUCT PERFORMANCE

Great value with the good performance you'd expect from Atlas, at a competitive price.

SILVER



BETTER PRODUCT PERFORMANCE

Better overall performance, whether that's product life, cutting speed or material removal rate, satisfying your expectations for performance.

OUR MARKETS

For performance and value, look no further than Atlas abrasives. We have products for cutting, grinding, sanding or finishing, a solution for your customers.



METAL FABRICATION

At Atlas you'll find abrasives used in the manufacture of gates, fences, shutters, metal frames for industrial equipment, pre-fabricated metal sheets and scaffolding.



MAINTENANCE & REPAIR OPERATIONS

Abrasive solutions for cutting and grinding, sanding and cleaning, in maintenance and repair applications.



CONSTRUCTION & HARDWARE

You can rely on Atlas to provide safe & reliable products and solutions for building, renovating and improving our habitat.



WOOD INDUSTRIES

Atlas caters for calibration, sanding and tool sharpening applications in the carpentry, furniture manufacturer, parquetry and chipboard industries.



SUPPORTING SUSTAINABILITY

IN THE ABRASIVES INDUSTRY

Saint-Gobain is proud to be an active member of SEAM - Sustainable European Abrasive Manufacturers.

An initiative from FEPA, the SEAM program guarantees that member organisations from within the abrasive supply chain manufacture and distribute products according to new standards, to support sustainable growth in production and distribution.

The aim is to balance environmental efficiency, production performance and labour safety by meeting a series of requirements related to three pillars:



ENVIRONMENT



LABOUR



ECONOMY

Saint-Gobain Abrasives is committed to preserving the environment and resources, reducing inequalities and improving daily life for all. It's more than an expectation, making a positive contribution has become a requirement for all our stakeholders. We all have a part to play in ensuring our processes, products and the health and safety of our employees is maintained and allows our industry to operate sustainably now and in the future.

For more information visit www.saint-gobainabrasives.com

SEAMTM

Sustainable European Abrasive Manufacturers

MERCHANDISING DISPLAYS

Atlas branded product displays are available to showcase the product range in an easy, attractive way that is also space saving. Contact your local Atlas representative for more information.



DISPLAY KIT

- The complete kit comes with all components needed to create a full display for any Atlas product range.
- Kit contains: Base x1, pegboards x4, header x1, shelf x1, bar with 5 pins x2, legs x2, pegs x72
- Accessories can be ordered separately if required.

STAND KIT (mm)	QTY	ART NO.
Display: 2300 x 1030 x 500	1	MTO

PORTABLE DISPLAY

- Kit contains unit x1, header x1, pins x40, bar with 2 pins x4

PORTABLE KIT (mm)	QTY	ART NO.
Display: 1740 x 380 x 580	1	MTO




ONLINE ORDERING MADE EASY

With MyAbrasives, the ordering process is simple:



Search for your product



Add to basket



Go to checkout



MAKING ORDERING EASIER:

1. Detailed product information and specifications, including images and videos
2. Access to order confirmations, product availability and delivery lead times
3. Available from smartphones, tablets and PCs 24/7
4. Automatically creates a list of most frequently ordered products for ease of future ordering
5. Save favourite lists to make ordering quicker and easier

REGISTER TODAY

To register call your local customer service team and start using MyAbrasives today.

MYABRASIVES FEATURES AND SERVICES INCLUDE:

- **Product search:** search by UPC, name, category, EAN number and filter and sort search results,
- **Order history and reordering:** see your past orders across all platforms (EDI, ABx, phone and fax). Invoices, debit/credit notes and shipping status will also be visible in the 'Order History' section
- **Quotes:** request and track quotes directly
- **Saved orders:** save orders for future reference by putting multiple items in your cart and saving. You can also add a note to indicate future order frequency
- **Bulk orders:** upload a CSV file directly into the system rather than having to search for each product individually
- **Recommended for you:** shows related products you may like to order
- **Extra support:** navigate the system with FAQs and how-to videos or contact our dedicated helpline



CUTTING DISCS & GRINDING WHEELS

Understanding the product	10
Application colour coding	10
Pictograms	11
Ultra Thin cutting	12
Conventional cutting	13
Grinding	15
Stationary machines	16
Chop Saws	17
Petrol Saws	17



UNDERSTANDING THE PRODUCT

CUTTING DISCS & GRINDING WHEELS

- 1 APPLICATION PICTOGRAMS
- 2 MATERIALS
- 3 PRODUCT DIMENSIONS
- 4 MAXIMUM SPEED
- 5 PRODUCT APPLICATION
- 6 SAFETY SYMBOLS
- 7 SAFETY AND QUALITY CERTIFICATION
- 8 PRODUCT CODE
- 9 SCANNABLE EAN CODE



METAL RING WITH VALIDITY DATE

V = VALIDITY DATE (PRODUCTION QUARTER + 3 YEAR)

V01 = 1st quarter V04 = 2nd quarter V07 = 3rd quarter V10 = 4th quarter

EXAMPLE:

V04/2025 indicates production in the 2nd quarter of 2022 and advised usage before the 2nd quarter of 2025

APPLICATION COLOUR CODING



METAL/INOX




INOX




STONE

PICTOGRAMS

APPLICATION PICTOGRAMS




Inox



Metal



Alloy



Stone

MACHINE PICTOGRAMS



Angle Grinder

Fixed Cut-Off
Machine

Petrol Saw



Chop Saw

SAFETY PICTOGRAMS

Wear ear
protectionWear protective
gloves

Wear a mask

Wear eye
protectionRefer to instruction
manual/bookletOnly permitted for grinding
at an angle greater
than 10°

Do not use for face grinding

Do not use
if damagedDo not use with
hand-held grinding
machine

GENERAL PRECAUTIONS

Safety instructions provided by the machine manufacturers must be followed. All guards, covers and hoods must be in place on the machine during grinding, and should not be modified in any way. Abrasives should not be used near inflammable material.


Sparks should be directed away from the face and body, if possible towards the floor. Dust extraction equipment must be used whenever it is available. The instructions for use given by the abrasive manufacturer must be followed e.g. 'Not to be used without a support', or 'Not to be used for wet grinding'. The workpiece must be firmly fixed before grinding starts. Check all abrasives visually before use and make certain that the product is suitable for the application. No modifications should be made to abrasive products after delivery. When using a portable grinder always switch it off and allow the spindle to stop completely before putting the tool down.

ULTRA THIN CUTTING

METAL INOX SILVER ★★

ULTRA THIN CUTTING DISCS

Sharp grain for fast cutting and a more comfortable cutting experience. The ultra thin disc glides through steel, stainless steel and cast iron. Free of iron, sulphur and chlorine.




TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 41	125	1,0x22,23	A 60 S-BF41	25	66252845213	8681282210305
	230	1,9x22,23	A 46 S-BF41	25	66253371391	8681282200122

METAL INOX BRONZE ★

ULTRA THIN CUTTING DISCS

Ultra thin disc with good cut rate and a good price / quality ratio. For general trade and general usage in all steel applications. Free of iron, sulphur and chlorine.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 41	115	1,0x22,23	A 60 R-BF41	25	66252839845	8681282202096

INOX SILVER ★★

ULTRA THIN CUTTING DISCS

Sharp grain for fast cutting and a more comfortable cutting experience. The ultra thin disc glides through stainless steel. Free of iron, sulphur and chlorine.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 41	115	1,0x22,23	A 60 V-BF41	25	66253370792	5900442828345
	115	1,6x22,23	A 60 V-BF41	25	66252846760	8681282226719
	180	1,6x22,23	A 46 V-BF41	25	66253371390	8681282200108

INOX **BRONZE** ★**ULTRA THIN CUTTING DISCS**

Ultra thin disc with good cut rate and a good price / quality ratio. For general trade and general usage in stainless steel applications. Free of iron, sulphur and chlorine.




TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 41	115	1,0x22,23	A 60 T-BF41	25	66252828872	3157625119222
	115	1,0x22,23	A 60 T-BF41	SET of 10*	66252848943	6111252836249
	115	1,6x22,23	A 46 T-BF41	25	66252828873	6111252830865
	125	1,0x22,23	A 60 T-BF41	25	66252828875	3157625119246
	125	1,0x22,23	A 60 T-BF41	SET of 10*	66252838372	6111252835402
	125	1,6x22,23	A 46 T-BF41	25	66252828876	6111252831046
	150	1,6x22,23	A 46 T-BF41	25	66252829679	3157625134409
	180	1,6x22,23	A 46 T-BF41	25	66252833782	5900442669351
	230	1,9x22,23	A 46 T-BF41	25	66252921753	6111252830193

* The set of cutting discs, contain 10 pcs, foil shrink wrapped.

CONVENTIONAL CUTTING

METAL INOX **SILVER** ★★**CUTTING DISCS**

Fast cutting, longer lasting discs for use on steel, stainless steel and cast iron. Free of iron, sulphur and chlorine.




TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE	
CUTTING DISCS							
TYPE 41	115	2,5x22,23	A 30 S-BF41	25	66252846207	8681282217830	
	115	3,0x22,23	A 30 S-BF41	25	66253370734	8699309205128	
	125	2,5x22,23	A 30 S-BF41	25	66252846208	8681282217854	
	180	3,0x22,23	A 30 S-BF41	25	66253370735	8699309205142	
	230	2,5x22,23	A 30 S-BF41	25	66252849155	8681282236114	
	230	3,0x22,23	A 30 S-BF41	25	66253370775	8699309205166	
	230	3,8x22,23	A 30 S-BF41	25	66252804171	8681282200641	
	TYPE 42	180	3,2x22,23	A 30 S-BF42	25	66253370776	8699309205180
		230	3,2x22,23	A 30 S-BF42	25	66253370777	8699309205203



METAL INOX

BRONZE ★

CUTTING DISCS

Good cut rate / price ratio. For use on steel and stainless steel. Free of iron, sulphur and chlorine.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 41 	100	2,5x16,0	A 30 S-BF41	SET of 10*	66252844479	6111252832418
	115	2,5x22,23	A 30 S-BF41	25	66252828874	6111252830117
	115	2,5x22,23	A 30 S-BF41	SET of 10*	66252844480	6111252832432
	125	2,5x22,23	A 30 S-BF41	25	66252828877	6111252831060
	125	2,5x22,23	A 30 S-BF41	SET of 10*	66252844481	6111252832456
	150	2,5x22,23	A 30 S-BF41	25	66252828878	6111252831268
	180	2,5x22,23	A 30 S-BF41	25	66252828880	6111252830162
	230	2,0x22,23	A 30 S-BF41	25	66252828881	3157625118652
	230	2,5x22,23	A 30 S-BF41	SET of 5*	66252844473	6111252832470
	TYPE 42 	115	3,0x22,23	A 30 R-BF42	25	66252828884
125		3,0x22,23	A 30 R-BF42	25	66252828885	6111252830155
180		3,0x22,23	A 30 R-BF42	25	66252828886	6111252830179
230		3,0x22,23	A 30 R-BF42	25	66252828887	6111252830216

* The set of cutting discs, contain 10 or 5 pcs, foil shrink wrapped.


STONE

BRONZE ★

CUTTING DISCS

Good cut rate / price ratio. For use on stone and brick.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 42 	115	3,0x22,23	C 30 S-BF42	25	66252828900	6111252830926
	125	3,0x22,23	C 30 S-BF42	25	66252828901	6111252831121
	230	3,0x22,23	C 30 S-BF42	25	66252828903	6111252831527


GRINDING

METAL INOX

SILVER ★★

GRINDING WHEELS

Great material removal rate on steel and stainless steel. Free of iron, sulphur, and chlorine.




TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
GRINDING DISCS						
TYPE 27	115	6,4x22,23	A 30 P-BF27	10	66253370738	8699309205227
	115	6,4x22,23	A 30 S-BF27	10	66253370727	8699309205029
	125	6,4x22,23	A 30 P-BF27	10	66253370726	8699309205005
	125	6,4x22,23	A 30 S-BF27	10	66253370728	8699309205043
	180	6,4x22,23	A 30 P-BF27	10	66253370749	8699309205241
	180	6,4x22,23	A 30 S-BF27	10	66253370729	8699309205067
	180	8,0x22,23	A 30 P-BF27	10	66253370750	8699309205265
	180	8,0x22,23	A 30 S-BF27	10	66253370730	8699309205081
	230	6,4x22,23	A 30 S-BF27	10	66252846688	8681282225262
	230	8,0x22,23	A 30 P-BF27	10	66253370752	8699309205289
	230	8,0x22,23	A 30 S-BF27	10	66253370731	8699309205104

METAL INOX

BRONZE ★

GRINDING WHEELS

Good cut rate / price ratio. For use on steel and stainless steel.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
GRINDING DISCS						
TYPE 27	115	6,0x22,23	A 24 R-BF27	10	66252828866	6111252830346
	125	6,0x22,23	A 24 R-BF27	10	66252828867	6111252831022
	150	6,0x22,23	A 24 R-BF27	10	66252828868	6111252831244
	180	6,0x22,23	A 24 R-BF27	10	66252828869	6111252830186
	230	6,0x22,23	A 24 R-BF27	10	66252828870	6111252830230

FOUNDRY

SILVER ★★

GRINDING WHEELS

Specially designed for rough applications in the toughest environments. Additional layers of reinforcements for working under the highest side pressure without the risk of breakage. For cast iron and stainless steel. Free of iron, sulphur and chlorine.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
GRINDING DISCS						
TYPE 27	115	6,4x22,23	A 24 P-BF27	10	66252839626	8681282201990
	180	8,0x22,23	A 24 P-BF27	10	66252839625	8681282201976

STATIONARY MACHINES

STEEL **SILVER** ★★

CUTTING DISCS

For use under constant power in heavy cutting applications. High cut rate and long life. For use on steel.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 41	350	3,5x25,4	A 24 S-BF41	10	66253371451	8699309292609

STEEL **BRONZE** ★

CUTTING DISCS

Good cut rate / price ratio. For cutting steel with a stationary saw.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 41	350	3,5x32,0	A 24 R-BF41	10	66252918892	3157625411159
	400	4,0x32,0	A 24 R-BF41	10	66252829684	3157625119208

CHOP SAWS

STEEL **SILVER** ★★

CUTTING DISCS

General purpose cutting discs for all steel chop saw applications. Gives a straight, fast cut throughout long wheel life.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 41	300	3,0x25,4	A 24 T-BF41	10	66252847080	8681282231713
	350	3,0x25,4	A 30 S-BF41	10	66253371031	8681282200085

STEEL **BRONZE** ★

CUTTING DISCS

Good cut rate / price ratio. For cutting steel with a chop saw.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISCS						
TYPE 41	300	2,8x25,4	A 36 P-BF41	10	66252829681	6111252831787
	300	2,8x32,0	A 36 P-BF41	10	66252828802	3157625118942
	350	2,8x32,0	A 36 P-BF41	10	66252829682	3157625118980
	356	2,8x25,4	A 36 P-BF41	10	66252829683	3157625119192

PETROL SAWS

STEEL **BRONZE** ★

CUTTING DISC

Good cut rate / price ratio. For cutting steel with a petrol saw.



TYPE	DIA (mm)	TxB (mm)	PRODUCT SPECIFICATION	PK QTY	ART NO.	EAN CODE
CUTTING DISC						
TYPE 41	300	3,5x20,0	A 24 R-BF41	10	66252828799	3157625121409



COATED ABRASIVES

Introduction	20
Pictograms	22
Fibre discs & backup pads for Angle Grinders	23
Flap discs for Angle Grinders	24
Self-Grip discs for Orbital Sanders	26
Discs for Orbital Sanders	31
Sheets for Manual sanding	34
Sponges for Manual sanding	37
Rolls for Manual sanding	38
Portable and narrow belts for Machine sanding	42
Flap wheels with spindle and with flanges	47
Non-Woven discs for Angle Grinders	50




UNDERSTANDING THE PRODUCT

COATED ABRASIVES

Atlas has a range of fiber discs, flap discs, belts, discs, rolls, sheets and flap wheels for applications including heavy stock removal, grinding, cleaning, blending and finishing operations.

WHAT IS A COATED ABRASIVE?

When abrasive grain is strongly fixed to a flexible backing using adhesive, this is known as a 'coated' abrasive. The adhesive is applied with a minimum of two applications. The first, or 'maker' coat adheres the abrasive grain to the backing ensuring correct orientation. After curing, the second 'size' coat is applied. The sizer adhesive, united with the maker bond, provides final grain anchoring and the proper total adhesive level for the finished product.



ABRASIVE TYPES

The ideal abrasive grain offers maximum resistance to wear, yet fractures before serious dulling occurs, satisfying both stock removal and finishing requirements.

THE TYPES OF GRAIN MOST COMMONLY USED ARE:

Aluminium oxide: tough grain for grinding high tensile materials, such as carbon steel, alloy steels, tough bronze and hard woods. Wherever toughness (ability to resist fracturing) is the main consideration, aluminium oxide out performs all other coated abrasive grains. A great solution for users looking for an affordable abrasive product.




Zirconia alumina, unique self-sharpening grain for long life on demanding stock removal and heavy grinding operations. Ideal for planing wood, due to the controlled fracturing of the grain, which continuously produces sharp abrasive points. Has an excellent price vs. performance ratio.

BACKING TYPES

Whether paper, cloth, vulcanised fibre, a cotton or polyester film, the backing must be smooth enough for uniform adhesive coating, strong enough to withstand grinding pressures and flexible enough to conform to contours (if necessary).

ABRASIVE GRAIN TYPES

The ideal abrasive grain offers maximum resistance to wear, yet fractures before serious dulling occurs, to satisfy stock removal and finishing requirements.

GRAIN TYPE	BOND / TOUGHNESS	STRUCTURE	PROPERTIES / WEAR PROPERTIES
SILICONE CARBIDE (SIC)	Very hard / less tough	Crystalline	Sharp-edged, brittle, highly friable / micro wear 
ALUMINIUM OXIDE	Hard / tough	Crystalline, irregular	Wedge-shaped, block grain, even wear 
ZIRCONIA ALUMINA	Hard / very tough	Crystalline, even	Wedge-shaped, block, drop formed grit / micro wear, self-sharpening 

SAFETY IN USE

All coated abrasives should be handled carefully. Safety goggles, safety gloves, dust masks should be worn. Safety instructions provided by machine manufacturers must be followed. Make sure the abrasive is suitable for the application before use. No modifications should be made to the product.


STORAGE CONDITIONS

Coated abrasives should be stored in dry frost free conditions. They should be kept away from cold and damp, and not be exposed to high temperature variations or direct sunlight. Excessively dry or humid storage may incur deformation.




PICTOGRAMS


APPLICATION PICTOGRAMS




Inox




Metal



Ferrous &
Non-Ferrous Metal



Hard & Soft Wood



Stone



Paint / Varnish

MACHINE PICTOGRAMS



Angle Grinder




Orbit Sander



Backsatnd Belt Machine



Portable Belt Machine



Satinex Machine



Straight Shaft Machine



Pedestal Grinder

SAFETY PICTOGRAMS



Wear ear protection



Wear protective gloves



Wear a mask



Wear eye protection



Refer to instruction manual/booklet



Only permitted for grinding at an angle greater than 10°



Do not use for face grinding



Do not use if damaged




Do not use with hand-held grinding machine

FIBER DISCS AND BACK-UP PADS FOR ANGLE GRINDERS

FIBRE DISCS

BRONZE ★

Aluminium oxide fibre discs for processing steel and metal alloys.



DIMENSIONS (mm)	GRIT	PK QTY	ART NO.	EAN CODE
115x22	16	10	78072755030	8719362302678
	24	10	78072755031	8719362302685
	36	10	78072755033	8719362302692
	40	10	78072755035	8719362302708
	50	10	78072755036	8719362302715
	60	10	78072755037	8719362302722
	80	10	78072755039	8719362302739
	100	10	78072755042	8719362302746
	120	10	78072755043	8719362302753
	125x22	16	10	78072755108
24		10	78072755113	8719362302777
36		10	78072755114	8719362302784
40		10	78072755146	8719362302791
50		10	78072755147	8719362302807
60		10	78072755148	8719362302814
80		10	78072755149	8719362302821
100		10	78072755150	8719362302838
120		10	78072755151	8719362302845
180x22		16	10	78072755152
	24	10	78072755153	8719362302869
	36	10	78072755154	8719362302876
	40	10	78072755155	8719362302883
	50	10	78072755156	8719362302890
	60	10	78072755157	8719362302906
	80	10	78072755158	8719362302913
	100	10	78072755159	8719362302920
	120	10	78072755161	8719362302937

BACK-UP PADS



DIMENSIONS (mm)	FIXING	PK QTY	ART NO.	EAN CODE
115	M14	1	66261052374	3157625944435
125	M14	1	66261052376	3157625944442
180	M14	1	66261052377	3157625944459



FLAP DISCS FOR ANGLE GRINDERS



ZIRCONIUM FLAP DISC **SILVER** ★★

Sharp zirconium grain for a fast cut from the very beginning. Tough polyester backing for excellent product life and more material removal with one disc. Lower disc wear for longer grinding time, without loss of cut throughout disc life. Ideal on medium to high pressure applications on carbon steel and hard metals.



SIZE (mm)	GRIT	PK QTY	ART NO.	EAN CODE
CONICAL FIBER PAD				
115x22,23 	40	10	78072754862*	8681282237616
	60	10	78072754865*	8681282237623
	80	10	78072754867*	8681282237630
	120	10	78072754869*	8681282237647
125x22,23 	40	10	78072757963*	8681282237661
	60	10	78072757964*	8681282237678
	80	10	78072757965*	8681282237685
	120	10	78072757966*	8681282237692
180x22,23 	40	10	78072754872*	8681282237715
	60	10	78072754874*	8681282237654



* NOT available for EU countries



ZIRCONIUM FLAP DISC **BRONZE** ★

Fast cutting and good material removal rate. Ideal for use with battery-powered angle grinders: provides best product life per battery charge. Ideal for low and medium pressure applications. Blend of zirconium grain. Cotton cloth. Comfortable work and low vibration levels. Good performance/price ratio.






SIZE (mm)	GRIT	PK QTY	ART NO.	EAN CODE
FLAT FIBER PAD				
115x22,23 	40	10	78072729402	8719362271479
	60	10	78072729408	8719362271486
	80	10	78072729409	8719362271493
	120	10	78072729410	8719362271806
125x22,23 	40	10	78072715156	8719362245647
	60	10	78072715161	8719362245654
	80	10	78072715164	8719362245661
	120	10	78072715165	8719362245678



ZIRCONIUM FLAP DISC BRONZE ★

Fast cutting and good material removal rate. Ideal for use with battery-powered angle grinders: provides best product life per battery charge. Ideal for low and medium pressure applications. Blend of zirconium grain. Cotton cloth backing. Comfortable work and low vibration levels. Good performance/price ratio.





SIZE (mm)	GRIT	PK QTY	ART NO.	EAN CODE
CONICAL FIBER PAD				
115x22,23 	40	10	78072707146	8719362230438
	60	10	78072707158	8719362230445
	80	10	78072707159	8719362230452
125x22,23 	120	10	78072707160	8719362230469
	40	10	78072707161	8719362230476
	60	10	78072707162	8719362230483
	80	10	78072707163	8719362230490
	120	10	78072707164	8719362230704

ALUMINIUM OXIDE FLAP DISC BRONZE ★

Good material removal rate. Suitable for grinding and cleaning normal to medium iron, steel and metals. Consistent performance for improved part quality. Blend of aluminium oxide grain.




SIZE (mm)	GRIT	PK QTY	ART NO.	EAN CODE
CONICAL FIBER PAD				
115x22,23 	40	10	78072702827*	8681282219841
	60	10	78072702828*	8681282219735
	80	10	78072702829*	8681282219858
	120	10	78072751193*	8681282237814
180x22,23 	40	10	78072709687*	8681282223565
	60	10	78072709686*	8681282223558
	80	10	78072709688*	8681282224012

* NOT available for EU countries

DISC SHAPES


TYPE 29 CONICAL

- For both contoured surfaces and edge work
- Angled flaps offer greater contact when removing stock on flat surfaces
- The best choice for fast stock removal



TYPE 27 FLAT

- For use on flat surfaces
- Best choice for blending & finishing



DISCS FOR ORBITAL SANDERS

SANDING DISCS 130

SILVER ★★



SELF-GRIP

Premium Aluminium oxide grain for an improved cut-rate. D weight paper backing for longer product life and support when sanding. Designed for dry applications on all kinds of painted and primed surfaces in automotive, marine and construction applications or wood sanding.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
5 HOLES				
115	40	100	69957301791	8698526215682
	60	100	69957301801	8698526217341
	80	100	69957301813	8698526214975
	100	100	69957317304	8681282214822
	120	100	69957301846	8698526217365
	150	100	69957317319	8681282207213
	180	100	69957317320	8681282214556
	220	100	69957301887	8698526215729
	320	100	69957301906	8699309006824
125	40	100	69957317321	8681282227211
	60	100	69957301792	8698526214708
	80	100	69957301802	8698526214821
	100	100	69957301816	8698526215019
	120	100	69957301831	8698526215149
	150	100	69957301849	8698526215279
	180	100	69957301864	8698526215392
	180	100	69957301876	8698526215538
	6 HOLES			
125	40	100	69957301793	8698526214715
	60	100	69957301803	8698526214838
	80	100	69957301817	8698526215026
	100	100	69957301832	8698526215156
	120	100	69957301850	8698526215286
	220	50	69957301888	8698526215750
	320	50	69957317325	8681282210015
150	40	100	69957317325	8681282210015
	60	100	69957301795	8698526214746
	80	100	69957301807	8698526208974
	100	100	69957301821	8698526208981
	120	100	69957301835	8698526215187
	150	100	69957301852	8698526208998
	180	100	69957301869	8698526215446
	220	100	69957301882	8698526215606
	320	100	69957301890	8698526215781
	400	100	69957301909	8698526216085
400	100	69957301920	8698526216184	





SANDING DISCS 130 (CONTINUED)

SELF-GRIP

SILVER ★★

DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
NO HOLES				
115	40	100	69957301790	8698526214685
	60	100	69957301799	8698526214791
	80	100	69957301812	8698526214968
	100	100	69957301829	8698526215125
	120	100	69957301845	8698526215248
	150	100	69957301861	8698526215378
	180	100	69957301875	8698526215514
	220	100	69957301886	8698526215712
	320	100	69957301905	8698526216023
	400	100	69957301916	8698526216139
125	40	100	69957301794	8698526214739
	60	100	69957301805	8698526214852
	80	100	69957301819	8698526215040
	100	100	69957301834	8698526215170
	120	100	69957301848	8698526215262
	150	100	69957301867	8698526215422
	180	100	69957301878	8698526215552
	220	100	69957301889	8698526215774
	320	100	69957301908	8698526216078
	400	100	69957301918	8698526216160
150	40	100	69957301796	8698526214760
	60	100	69957301809	8698526214883
	80	100	69957301823	8698526215088
	100	100	69957301837	8698526215200
	120	100	69957301854	8698526209216
	150	100	69957301868	8698526215439
	180	100	69957301881	8698526215590
	220	100	69957301892	8698526215804
	320	100	69957301911	8698526216108
	400	100	69957301919	8698526216177
200	40	100	69957301798	8698526214784
	60	100	69957301811	8698526214906
	80	100	69957301825	8698526217358
	100	100	69957301841	8698526215224
	120	100	69957301858	8698526215330
	150	100	69957301872	8698526215484
	180	100	69957301884	8698526215620
	220	100	69957301894	8698526215828
	320	100	69957301912	8698526216122
	400	100	69957301921	8698526216207

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.



SANDING DISCS GF08

SILVER ★★

SELF-GRIP

Premium Aluminium oxide grain for good cut rate and consistent scratch pattern for a quality result from start to finish on paint, varnish and fillers. Flexible film backing resists tearing and provides longer product life. Can be used wet or dry. High-quality self-grip discs can be securely fixed onto suitable back-up pads.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
6 HOLES				
150	80	50	69957302876	8699309137559
	100	50	69957302884	8699309137542
	120	50	69957302891	8699309137870
	150	50	69957302900	8699309137566
	180	50	69957302914	8699309137573
	220	50	69957302924	8699309137580
	240	50	69957317506	8681282210022
	320	50	69957302933	8699309201380
	400	50	69957302940	8699309138815
	600	50	69957302947	8699309139492
800	50	69957302950	8699309139508	
NO HOLES				
125	80	50	69957302873	8699309143024
	100	50	69957302886	8699309143031
	120	50	69957302890	8699309201373
	150	50	69957302905	8699309201366
	180	50	69957302910	8699309141143
	220	50	69957302921	8699309141150
	280	50	69957302928	8699309174127
	400	50	69957317435	8681282216727
	800	50	69957317438	8681282223428
150	80	50	69957302875	8699309168539
	100	50	69957317442	8681282216741
	120	50	69957317443	8681282209057
	150	50	69957317445	8681282216895
	180	50	69957317447	8681282218028
	220	50	69957302923	8699309206798
8 HOLES				
225	100	50	69957302888	8699309172345
	120	50	69957302897	8699309172352
	150	50	69957302907	8699309172369
	180	50	69957302916	8699309173038


Other sizes and hole patterns are available on request. For more information or contact your local sales representative.



SANDING DISCS P37C SILVER ★★

SELF-GRIP

Premium heat-treated aluminium oxide abrasive blend for better cut rate and consistent scratch pattern for a quality result from start to finish. Reinforced lightweight paper backing provides better flexibility and finish than discs with heavier backing, discs can even be folded for hand use. The stearate coating applied to the grain resists dust buildup and clogging and extends the life of the disc so you can work longer without changing the product, saving time and money. Designed for wet or dry sanding.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
NO HOLES				
115	80	100	69957304532	8699309209850
	120	100	69957304542	8699609202179
	150	100	69957304550	8699309210085
	180	100	69957317463	8681282208920
	220	100	69957304566	8699309209843
	240	100	69957317464	8681282218363
	280	100	69957317467	8681282208043
	320	100	69957304581	8699609202186
125	400	100	69957304585	8699309882459
	80	100	69957304534	8699309282204
	120	100	69957304543	8699309283041
	150	100	69957304551	8699609202674
	180	100	69957304558	8699609244216
	220	100	69957304567	8699309210337
	320	100	69957317474	8681282206711
	400	100	69957304589	8681282207817
150	80	100	69957304536	8699309210467
	120	100	69957304545	8699309210474
	150	100	69957304553	8699309209829
	180	100	69957317479	8681282213665
	220	100	69957304569	8699609203916
	240	100	69957317480	8681282231812
14+1 HOLES	280	100	69957317481	8681282208364
	150	80	78072700004	8681282217625
	120	100	78072700010	8681282217588
	150	100	78072700014	8681282217632
	220	100	78072719370	8681282229161
	240	100	78072700016	8681282217649
	320	100	78072700018	8681282217656
	400	100	78072700030	8681282240524
600	100	78072726928	8681282232468	


Other sizes and hole patterns are available on request. For more information or contact your local sales representative.



SANDING DISCS A293 BRONZE


SELF-GRIP

Aluminium oxide grain provides a fast cut when sanding wood, composites, paint or metal. The strong paper backing is tear resistant, while providing good flexibility. No-Fil® coating and hole configuration improves load resistance for longer disc life.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
14+1 HOLES				
150	80	100	66254406189	3157629210369
	100	100	66254406191	3157629210383
	120	100	66254406181	3157629210284
	150	100	66254406183	3157629210307
	180	100	66254406197	3157629210451
	220	100	66254406198	3157629210468
	240	100	66254406202	3157629210505
	320	100	66254406184	3157629210314
	400	100	66254406205	3157629210536
	500	100	66254406207	3157629210567
	600	100	66254406209	3157629210581
	800	100	66254406213	3157629210628

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.



SAFETY IN USE

- **Wear appropriate personal protective equipment at all times.**

- **The face of the abrasive should not be in contact with the floor or workbench.**

- **Store the machine away safely after use.**

- **Only start to sand when the machine is 'up to speed', except on pneumatic random orbital machines which must be started with light pressure on the disc.**


- **When using self-gripping discs, use only light pressure on the machine when in use.**

- **Do not allow overheating of the disc to occur.**



SANDING DISCS 157 SILVER ★★

Aluminium oxide abrasive and heavy paper backing design for roughing, intermediate sanding & finishing of solid wood on floor & furniture applications. Semi-open / open coat (depending on grit size) reduces clogging on the disc for longer life. The anti-static properties of the disc enable excellent surface quality



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
NO HOLES				
115	40	100	69957304407	8698526207717
	60	100	69957304423	8698526207731
	80	100	69957304439	8698526223854
	100	100	69957304456	8698526207786
	120	100	69957304474	8698526223915
	150	100	69957304492	8699309000648
	180	100	69957304501	8699309202325
	220	100	69957304511	8699309201151
	280	100	69957304521	8699609203848
125	40	100	69957304409	8698526223793
	60	100	69957304426	8698526208899
	80	100	69957304441	8698526208929
	100	100	69957304458	8698526223885
	120	100	69957304477	8698526208943
	150	100	69957304490	8699309000389
	180	100	69957304503	8699309200895
200	40	100	69957304418	8698526223823
	60	100	69957304435	8698526223847
	80	100	69957304451	8699309205814
	100	100	69957304467	8698526207793
5 HOLES				
115	40	100	69957304408	8698526296520
	60	100	69957304424	8698526296537
	80	100	69957304440	8698526206642
	100	100	69957304457	8698526289034
	120	100	69957304475	8698526296544
	150	100	69957304496	8699309131229
	180	100	69957304502	8699309202615





SANDING DISCS 157 (CONTINUED)

SILVER ★★



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
6 HOLES				
150	40	100	69957304464	8698526223908
	60	50	69957304481	8698526223939
	80	100	69957304494	8699309000655
	100	100	69957304506	8699309201809
	120	100	69957304516	8699309202400
	150	100	69957304524	8699309882299
	180	100	69957304416	8698526223816
	220	100	69957304431	86985262280376
280	100	69957304448	8698526223878	

DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
8 HOLES				
225	40	50	69957304412	8699309173458
	60	50	69957304422	8699309173434
	80	50	69957304454	8699309169055
	100	50	69957304469	8699309170457
	120	100	69957304487	8699309141006
	150	50	69957304499	8699309141020
	180	50	69957304508	8699309201878
	220	50	69957304519	8699309173526

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.

GREEN TIGER 888

SILVER ★★

High performance aluminium oxide grain designed for manual or machine sanding operations in all kinds of wood, metal and automotive applications. Flexible paper impregnated with latex, used in wet or dry applications, easily adapts to indented surfaces.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
NO HOLES				
125	80	50	78072747097	8681282238699
	100	50	78072747099	8681282238705
	120	50	78072747100	8681282240739
	150	50	78072747101	8681282235568
	180	50	78072747102	8681282238712
	220	50	78072747104	8681282238729
150	40	50	78072747133	8681282235162
	60	50	78072747134	8681282235179
	80	50	78072747135	8681282235186
	100	50	78072747137	8681282235247
	120	50	78072747138	8681282234813
	150	50	78072747139	8681282235599
	180	50	78072747140	8681282235605
	220	50	78072747141	8681282235612

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.



SANDING DISCS 130

SILVER ★★

SELF ADHESIVE

Aluminium oxide abrasive provides good cutting performance. Medium weight paper backing for good support when sanding.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
6 HOLES				
150	40	100	69957301734	8698526212087
	60	100	69957301742	8698526212193
	80	100	69957301748	8698526212308
	120	100	69957301762	8698526212568
	150	100	69957301765	8698526212612
	220	100	69957301776	8698526217068

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.




SHEETS FOR MANUAL SANDING

SANDING SHEETS 130

SILVER ★★

Premium Aluminium oxide grain for an improved cut-rate. D weight paper backing for longer product life and support when sanding. Designed for dry applications on all kinds of painted and primed surfaces in automotive, marine and construction applications or wood sanding.




DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
230 x 280	40	50	69957301699	8698526200206
	60	50	69957301700	8698526200213
	80	50	69957301701	8698526200220
	100	50	69957301702	8698526200237
	120	50	69957301703	8698526200244
	150	50	69957301704	8698526200251
	180	50	69957301705	8698526200268
	220	50	69957301706	8698526200275
	320	50	69957301709	8698526200305
	400	50	69957301711	8698526200312

SANDING SHEETS P37C

SILVER ★★

Premium heat-treated aluminium oxide abrasive blend for better cut rate and consistent scratch pattern for a quality result from start to finish. Reinforced lightweight paper backing provides better flexibility and finish than sheets with heavier backing. The stearate coating applied to the grain resists dust buildup and clogging and extends the life so you can work longer without changing the product, saving time and money. Designed for wet or dry sanding.




DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
230 x 280	80	50	78072718886	8681282240548
	120	50	78072718887	8681282240555
	150	50	78072718888	8681282240562
	180	50	78072718889	8681282240579
	220	50	78072718890	8681282240586
	320	50	78072718891	8681282240593
	400	50	78072718892	8681282240609

SANDING SHEETS A257

BRONZE ★

Aluminium oxide abrasive with light paper backing provides flexibility in use and a smooth finish. Ideal for use on wood, primers, lacquers and light metal working.




DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
225 x 275	C40	50	63642569106	7895316392047
	C60	50	63642569107	7895316392290
	C80	50	63642569108	7895316392559
	C120	50	63642569109	7895316392641
	C180	50	63642569110	7895316392924
	C220	50	63642569111	7895316392986



WATERPROOF SANDING SHEETS 188

SILVER ★★

High performance aluminium oxide grain designed for manual or machine sanding operations in all kinds of wood, metal and automotive applications. Flexible paper impregnated with latex, used in wet or dry applications, easily adapts to indented surfaces.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
230 x 280	60	50	69957301595	8698526296643
	80	50	69957301596	8698526296650
	100	50	69957301597	8698526296667
	120	50	69957301598	8698526296674
	150	50	69957301600	8698526296681
	180	50	69957301601	8698526296698
	220	50	69957301602	8698526296704
	240	50	69957301603	8698526296711
	280	50	69957301604	8698526296728
	320	50	69957301605	8698526296735
	360	50	69957301606	8698526298692
	400	50	69957301607	8698526296742
	500	50	69957301608	8698526296759
	600	50	69957301609	8698526298708
	800	50	69957301610	8698526200152
	1000	50	69957301611	8698526200169
	1200	50	69957301612	8698526200176
	1500	50	69957301613	8698526200183
	2000	50	69957301614	8698526200190



GRIT	PK QTY	ART NO.	EAN CODE
KIT 1			
240	50		
280	50		
320	50		
360	50		
400	50		
500	50	69957301615	8698526205287
600	50		
800	50		
1000	50		
1200	50		



GRIT	PK QTY	ART NO.	EAN CODE
KIT 2			
60	50		
80	50		
100	50		
120	50	69957301617	8698526205294
150	50		
180	50		
220	50		

GREEN TIGER SANDING SHEETS 888

BRONZE



High performance aluminium oxide grain designed for manual or machine sanding operations in all kinds of wood, metal and automotive applications. Flexible paper impregnated with latex, used in wet or dry applications, easily adapts to indented surfaces.




DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
230 x 280	60	50	78072740576	8681282240623
	80	50	78072740578	8681282232642
	100	50	78072740582	8681282240630
	120	50	78072740584	8681282240647
	150	50	78072740588	8681282240654
	180	50	78072740589	8681282240661
	220	50	78072740590	8681282234226
	280	50	78072740592	8681282240678
	320	50	78072740595	8681282240685
	360	50	78072740596	8681282240692
	500	0	69957304692	8699309001430
	600	50	78072740599	8681282240708
	800	50	78072740600	8681282234325
	1000	50	78072740601	8681282238651
1200	50	78072740602	8681282238668	
ASST1	50	69957304700	8699309001492	
ASST2	50	69957304703	8699309001508	

SPONGES FOR MANUAL SANDING

FOUR SIDED SANDING SPONGE **BRONZE** ★

Can be used wet or dry. Conforms to surface shapes and contours, providing a uniform finish. Aluminium oxide grain. Washable & robust, can be reused, extending product life. Used for sanding applications on surfaces such as metal, wood, plastic, fiberglass, plaster.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
4 SIDES BULK				
98 x 68 x 26	60	50	78072740857	8681282233915
	80	50	78072740859	8681282234080
	100	50	78072740860	8681282234097
	120	50	78072740862	8681282234103
	150	50	78072740863	8681282234110
	180	50	78072740864	8681282234233
	220	50	78072740865	8681282234240




ROLLS FOR MANUAL SANDING

SANDING ROLLS 145S

SILVER ★★

Premium aluminium oxide abrasive. Super flexible cotton cloth. Semi-open grain distribution for reduced clogging. Ideal for contour & profile sanding. Long life in wood & metal applications.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
200 x 50M	60	1	69957302747	8698526207434
	80	1	69957302750	8698526207229
	100	1	69957302754	8698526207335
	120	1	69957302757	8698526207045
	150	1	69957302761	8698526207694
	180	1	69957302764	8698526207267
	220	1	69957302766	8698526207328
	240	1	69957302769	8698526209230
	280	1	69957302770	8698526207571
	320	1	69957302773	8698526206901
	400	1	69957302778	8698526207342

Other widths & lengths are available on request. For more information or contact your local sales representative.

SANDING ROLLS 147

SILVER ★★

Ideal solution on applications requiring high performance, designed for all kinds of metal, aluminium, hard/soft plywood surfaces. It is a cotton-polyester blend cloth abrasive, ideal for sanding applications. Semi-flexible structure, while adapting to the surface shape, maintains its performance for a long time without any problems.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
150 x 50M	36	1	69957302648	8698526206161
	50	1	69957302659	8698526206284
	80	1	69957302673	8698526206390
	120	1	69957302688	8698526206499
	220	1	69957317487	8681282240500
	320	1	69957317489	8681282240517
200 x 50M	24	1	69957302645	8698526205881
	36	1	69957302649	8681282203215
	40	1	69957302655	8698526205904
	50	1	69957302661	8698526205911
	60	1	69957302664	8698526205928
	80	1	69957302674	8698526205935
	100	1	69957302681	8698526205942
	120	1	69957302689	8698526294366
	150	1	69957302694	8698526205966
	180	1	69957302700	8698526205973
	220	1	69957302704	8698526205997
	240	1	69957302709	8698526206000
	280	1	69957302714	8698526206017
	320	1	69957302717	8698526206024
400	1	69957302721	8698526206031	

Other widths & lengths are available on request. For more information or contact your local sales representative. →



SANDING ROLLS 147 (CONTINUED) **SILVER** ★★



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
250 x 50M	24	1	69957302646	8698526206130
	36	1	69957302650	8698526206178
	40	1	69957302656	8698526206239
	60	1	69957302665	8698526206338
	80	1	69957302675	8698526206406
	100	1	69957302682	8698526206451
	120	1	69957302690	8698526206505
	150	1	69957302695	8698526206567
	180	1	69957302701	8699309204848
	220	1	69957302711	8699309204855
	240	1	69957302710	8698526207144
	280	1	69957302676	8699309204800
	320	1	69957302696	8699309204831
	400	1	69957302722	8698526209162

Other widths & lengths are available on request. For more information or contact your local sales representative.



GREEN TIGER SANDING ROLLS 847

SILVER ★★



Aluminium oxide abrasive grain for high performance on all kinds of metal, aluminium and hard/soft plywood surfaces.
Cotton-polyester blend cloth abrasive adapts perfectly to the shape of the surface.
Ideal for contour and profile sanding. Long life in wood & metal applications.




DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
150 x 50M	40	1	69957302792	8699309002543
	60	1	69957302798	8699309002550
	80	1	69957302804	8699309002567
	100	1	69957302808	8699309002062
	120	1	69957302814	8699309004059
	150	1	69957302819	8699309005803
	180	1	69957302823	8699309003694
	220	1	69957302828	8699309003328
	240	1	69957317503	8681282217472
	320	1	69957302839	8699309005353
	400	1	69957302844	8699309007814
	500	1	69957302848	8699309199182
	600	1	69957302852	8699309131465
200 x 50M	24	1	69957302784	8699309004974
	36	1	69957302788	8699309003045
	40	1	69957302791	8699309001522
	50	1	69957302796	8699309003809
	60	1	69957302799	8699309001546
	80	1	69957302805	8699309001553
	100	1	69957302810	8699309001560
	120	1	69957302816	8699309001515
	150	1	69957302820	8699309001539
	180	1	69957302824	8699309005124
	220	1	69957302829	8699309004707
	240	1	69957302837	8699309004103
	280	1	69957302833	8699309003816
	320	1	69957302840	8699309005377
	400	1	69957302845	8699309007821
	500	1	69957302849	8699309102373
	600	1	69957302853	8699309102403
250 x 50M	36	1	69957302789	8699309003052
	40	1	69957302793	8699309002338
	50	1	69957317504	8681282229314
	60	1	69957302800	8699309002345
	80	1	69957302806	8699309002352
	120	1	69957302815	8699309004066
	220	1	69957302830	8699309201472
	280	1	69957302835	8699309201489
	320	1	69957302842	8699309201496

Other widths & lengths are available on request. For more information or contact your local sales representative.

FOAM ROLLS P37C**SILVER** ★★


Exceptional flexibility and foam lamination for better conformability to various surfaces. Roll folds without tearing and conforms to contours. Special steriate layer applied to grain minimises clogging for load resistance and longer product life. Pre-perforated rolls can be torn off from the dispenser box to the desired length.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
115 x 25M	80	1	69957304601	8699309209027
	120	1	69957304602	8699309209041
	150	1	69957304603	8699309209058
	180	1	69957304605	8699309209034
	220	1	69957304607	8699309209065
	240	1	69957304608	8699309209072
	280	1	69957304609	8699309209089
	320	1	69957304610	8699309209096
	400	1	69957304611	8699309209102
	600	1	69957304612	8699309209119
	800	1	69957304613	8699309209126

FOAM ROLLS A296, GREEN TIGER**BRONZE** ★

Aluminium oxide rolls with a foam backing which provides flexibility, conforming to curves and contours. Strong & long lasting. Recommended for sanding or cleaning of filler or primer.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
115 x 25M	80	1	78072754038	8681282240746
	120	1	78072754040	8681282240753
	150	1	78072754042	8681282237432
	180	1	78072754043	8681282237449
	220	1	78072754046	8681282240760
	240	1	78072754047	8681282240777
	320	1	78072754050	8681282240784
	400	1	78072754052	8681282240791

PORTABLE BELTS

PORTABLE BELTS 147

SILVER ★★

Aluminium oxide grain and X-weight polycotton backing give these belts good performance, life and flexibility on contoured parts.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
75 x 457	24	10	69957303366	8698526208073
	36	10	69957303387	8698526208080
	40	10	69957303405	8698526208097
	50	10	69957303436	8698526208103
	60	10	69957303456	8698526208110
	80	10	69957303506	8698526208127
	100	10	69957303560	8698526208134
	120	10	69957303591	8698526208141
75 x 533	24	10	69957303367	8699609202247
	36	10	69957303388	8698526208394
	40	10	69957303409	8699309099697
	60	10	69957303459	8699309172277
	80	10	69957303510	8698526298777
	120	10	69957303593	8699309172284
100 x 610	24	10	69957303369	8698526208691
	36	10	69957303389	8699309130864
	40	10	69957303412	8698526205751
	60	10	69957303462	8698526208738
	80	10	69957303515	8698526205775
	100	10	69957303567	8698526206703
	120	10	69957303596	8698526208769
	150	10	77696098882	8681282217373

Other widths & lengths are available on request. For more information or contact your local sales representative.

PORTABLE BELTS 847, GREEN TIGER

SILVER ★★

High performance on all kinds of metal, aluminum, hard/soft plywood surfaces. Aluminium oxide abrasive grain. Cotton-polyester blend cloth backing, ideal for contour & profile sanding. Long life in wood & metal applications.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
75 x 457	24	10	69957303921	8699309028758
	36	10	69957303933	8699309030416
	40	10	69957303955	8699309001614
	60	10	69957304003	8699309036852
	80	10	69957304055	8699309006701
	100	10	69957304121	8699309044031
	120	10	69957304159	8699309006718



GREEN TIGER PORTABLE BELTS **SILVER** ★★

High performance on all kinds of metal, aluminum, hard/soft plywood surfaces. Aluminium oxide abrasive grain. Cotton-polyester blend cloth backing, ideal for contour & profile sanding. Long life in wood & metal applications.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
75 x 533	36	10	69957303935	8699309030447
	40	10	69957303958	8699309132493
	60	10	69957304004	8699309107910
	80	10	69957304060	8699309040545
	100	10	69957304122	8699309044123
	120	10	69957304160	8699309134992
100 x 610	24	5	69957303924	8699309028901
	36	5	69957303937	8699309130888
	40	10	69957303960	8699309101819
	60	10	69957304006	8699309007784
	80	10	69957304062	8699309007852
	100	10	69957304124	8699309101826
	120	10	69957304161	8699309001867

Other widths & lengths are available on request. For more information or contact your local sales representative.

GREEN TIGER R230 PORTABLE BELTS **SILVER** ★★

Hard aluminium oxide abrasive for good product life. Ideal for sanding wood and metal. Good cut rate on low pressure finishing operations. Open grain distribution for reduced clogging and loading material such as wood & aluminium



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
75 x 457	40	10	63642569047	5900442240314
	60	10	63642569048	6426031057723
	80	10	63642569049	6426031057730
	100	10	63642569050	6426031057747
	120	10	63642569051	5900442240352
75 x 533	40	10	63642569052	5900442240420
	60	10	63642569053	5900442240437
	80	10	63642569054	5900442240444
	100	10	63642569055	6426031057754
	120	10	63642569056	5900442240468
100 x 560	40	10	63642569057	5900442240628
	60	10	63642569058	5900442240666
	80	10	63642569059	5900442240673
	100	10	63642569060	5900442240680
	120	10	63642569061	5900442240697
100 x 610	40	10	63642569062	5900442240710
	60	10	63642569063	5900442240727
	80	10	63642569064	5900442240734
	100	10	63642569065	5900442240741
	120	10	63642569066	5900442240765
100 x 620	40	10	63642569067	5900442240789
	60	10	63642569068	5900442240796
	80	10	63642569069	5900442240819
	100	10	63642569070	5900442240826
	120	10	63642569071	5900442240833


Other widths & lengths are available on request. For more information or contact your local sales representative.

NARROW BELTS

NARROW BELTS R895

SILVER ★★

Sharp zirconia grain for good material removal and long life. Heavy Y-weight polyester cloth backing provides good support in demanding or heavy applications.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
50 x 2000	40	10	78072755837	8681282240876
	60	10	78072755835	8681282240869
	80	10	78072756009	8681282240906
100 x 1150	24	10	78072755831	8681282240845
	40	10	78072755828	8681282240821
	60	10	78072755838	8681282240883
	100	10	78072756015	8681282240937
100 x 1250	24	10	78072756006	8681282240890
	36	10	78072755820	8681282240807
	40	10	78072755829	8681282240838
	60	10	78072756013	8681282240913
	80	10	78072756014	8681282240920
100 x 1500	120	10	78072756016	8681282240944
	36	10	78072755826	8681282240814
	40	10	78072755832	8681282240852
	60	10	78072756019	8681282240951
	80	10	78072756020	8681282240968

Other lengths & widths are available on request. For more information or contact your local sales representative.

NARROW BELTS 147

SILVER ★★

Aluminium oxide grain and X-weight polycotton backing give these belts good performance, life and flexibility on contoured parts.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
100 x 1150	24	10	69957303371	8698526206932
	36	10	69957303392	8698526255916
	40	10	69957303415	8698526256814
	60	10	69957303470	8698526259310
	80	10	69957303523	8698526261764
	100	10	69957303571	8698526291426
	120	10	69957303601	8698526266134
100 x 1250	24	10	69957303374	8698526291747
	36	5	69957308527	8681282228614
	40	10	69957303420	8698526256890
	50	10	69957315006	8681282206230
	60	10	69957303478	8698526259457
	80	10	69957303527	8698526261887
	100	10	69957303575	8698526264444
	120	10	69957303605	8698526266257

Other widths & lengths are available on request. For more information or contact your local sales representative. →




NARROW BELTS 147 SILVER ★★



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
100 x 7100	40	10	69957314976	8681282205738
	60	10	69957303495	8698526206680
	80	10	69957303549	8698526206673
	100	10	78072711661	8681282224586
150 x 7100	40	10	69957303431	8698526257613
	50	10	69957313027	8681282220823
	60	10	69957303497	8698526206956
	80	10	69957303551	8698526263737
	100	10	69957303585	8698526265373
200 x 750	24	10	69957303370	8698526255480
	36	10	69957303391	8698526255886
	40	10	69957303414	8698526256784
	50	10	69957303441	8698526257712
	60	10	69957303466	8698526259075
	80	10	69957303518	8698526261542
	100	10	69957303568	8698526264130
	120	10	69957303597	8698526265960

GREEN TIGER 847 NARROW BELTS SILVER ★★

High performance aluminium oxide abrasive for all types of metal, aluminium, hard/soft plywood surfaces. Cotton-polyester blend cloth backing, ideal for contour & profile sanding. Long life in wood & metal applications.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
50 x 2000	36	10	69957303945	8699309137740
	40	10	69957303982	8699309004288
	60	10	69957304023	8699309038689
	80	10	69957304088	8699309041948
100 x 1150	24	10	69957303927	8699309028956
	36	10	69957303940	8699309030577
	40	10	69957303969	8699309001652
	50	10	69957318982	8681282213405
	60	10	69957304009	8699309001706
	80	10	69957304072	8699309001768
	100	10	69957304127	8699309044581
	120	10	69957304168	8699309001881
100 x 1250	36	10	69957303942	8699309005308
	40	10	69957303972	8699309001300
	50	10	69957303993	8699309004196
	60	10	69957304011	8699309001713
	80	10	69957304075	8699309041269
	100	10	69957304131	8699309001836
	120	10	69957304171	8699309001898
100 x 7100	36	10	69957315379	8681282235810
	40	10	69957303986	8699309035596
	60	10	69957304040	8699309090434
	80	10	69957304107	8699309090441
	100	10	69957304154	8699309046004
	120	10	69957304197	8699309048978

Other lengths & widths are available on request. For more information or contact your local sales representative.



GREEN TIGER 847 NARROW BELTS (CONTINUED)

SILVER ★★



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
150 x 7100	40	10	69957303987	8699309009641
	60	10	69957304041	8699309090120
	80	10	69957304108	8699309004400
	100	10	69957304155	8699309046035
200 x 750	40	10	69957303967	8699309001645
	60	10	69957304007	8699309001690
	80	10	69957304065	8699309001751
	100	10	69957304125	8699309001812
	120	10	69957304162	8699309001874

Other lengths & widths are available on request. For more information or contact your local sales representative




GREEN TIGER NARROW BELTS

BRONZE ★

ZIRCONIUM

High performance zirconium abrasive for excellent cut rate and product life. Flexible polycotton cloth easily adapts to contours. Can be used on all types of metals, steel, aluminum, iron, wood, plastic, leather and ceramics.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
100 x 1250	40	10	78072724272	8681282230730
	60	10	78072716905	8681282240531
	80	10	78072724273	8681282230747
	120	10	78072724274	8681282230754
150 x 7100	60	10	78072747197	8681282234820
	80	10	78072747200	8681282234837
	100	10	78072746732	8681282240722
	120	10	78072746730	8681282240715

Other lengths & widths are available on request. For more information or contact your local sales representative.



FLAP WHEELS WITH SPINDLE

SPINDLE MOUNTED FLAP WHEELS, R207PLUS

BRONZE

A universal wheel for use on steel, stainless steel and to remove paint from plastic and wood. Aluminium oxide grain provides an aggressive cut even with low pressure.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
6mm SHAFT				
20 x 15	40	20	69957301996	8698526290986
	50	20	69957302040	8698526295387
	60	10	69957302051	8698526216658
	80	20	69957302118	8698526205591
	100	20	69957302167	8698526218423
	120	20	69957302190	8698526218560
20 x 25	40	20	69957301998	8699309291619
	60	20	69957302050	8699309141068
	80	20	69957302124	8699309099390
	100	20	69957302169	8699309137696
	120	20	69957302189	8699309141075
25 x 15	40	20	69957302001	8699309134909
	50	20	69957302042	8699309173984
	60	20	69957302055	8698526216672
	80	20	69957302120	8698526218249
	100	20	69957302170	8698526294151
	120	20	69957302191	8698526298210
25 x 20	40	20	69957302002	8698526294212
	60	20	69957302058	8698526216696
	80	20	69957302121	8698526218256
	100	20	69957302171	8699309106821
30 x 15	40	20	69957302007	8698526201616
	50	20	69957314690	8681282214402
	60	10	69957302066	8698526201852
	80	20	69957302128	8698526202057
	100	20	69957302173	8698526202309
	120	20	69957302197	8698526202460
	150	20	69957302228	8698526202675
	120	20	69957302009	8698526201623
30 x 20	60	20	69957302067	8698526201869
	80	20	69957302129	8698526202064
	100	20	69957302174	8698526218454
	120	20	69957302198	8698526202477
	120	20	69957302200	8699309169512
30 x 30	40	10	69957302012	8699309101864
	60	20	69957302068	8698526201876
	80	20	69957302131	8698526202071
	120	20	69957302200	8699309169512



SPINDLE MOUNTED FLAP WHEELS, R207PLUS (CONTINUED)

BRONZE ★





DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
6mm SHAFT				
40 x 15	40	20	69957302015	8698526201630
	50	20	69957302045	8698526201777
	60	20	69957302076	8698526201890
	80	20	69957302136	8698526202095
40 x 20	40	20	69957302016	8698526201647
	50	20	69957314692	8681282205257
	60	20	69957302077	8698526201906
	80	20	69957302137	8698526202101
	100	20	69957302177	8698526202330
	120	20	69957302204	8698526202507
40 x 30	150	20	69957302230	8698526202699
	40	20	69957302020	8698526201654
	50	10	69957302046	8698526294892
	60	10	69957302081	8698526201913
	80	20	69957302140	8698526202125
	100	20	69957302178	8698526202347
50 x 30	120	20	69957302206	8698526202521
	40	20	69957302027	8698526201685
	60	20	69957302092	8698526201951
	80	20	69957302150	8698526202170
	100	20	69957302181	8698526202378
60 x 15	120	20	69957302212	8698526202583
	40	10	69957302029	8698526201692
	60	10	69957302097	8698526201975
	80	10	69957302153	8698526202194
60 x 20	120	10	69957302215	8698526202590
	40	10	69957302030	8698526201708
	60	10	69957302098	8698526201982
	80	10	69957302154	8698526202200
60 x 30	100	10	69957302183	8698526202392
	40	10	69957302031	8698526201715
	60	10	69957302101	8698526201999
	80	10	69957302156	8698526202224
	100	10	69957302184	8698526202408
60 x 40	120	10	69957302218	8698526202613
	40	10	69957302032	8698526201722
	60	10	69957302102	8698526202002
80 x 30	100	10	69957302185	8698526202415
	40	10	69957302037	8698526201746
	60	10	69957302111	8698526202019
	80	10	69957302164	8698526202262
	120	10	78072729393	8681282240616

FLAP WHEELS WITH FLANGES

FLANGE MOUNTED FLAP WHEELS R207PLUS

BRONZE ★

A universal wheel for use on steel, stainless steel and to remove paint from plastic and wood. Aluminium oxide grain provides an aggressive cut even with low pressure.



DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
SATINEX WHEELS				
100 x 100 x 19	40	1	69957302417	8698526291631
	60	1	69957302420	8698526293277
	80	1	69957302426	8698526299040

DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
M14 FLAP WHEELS				
115 x 20 x M14	40	5	78072705424	8681282230396
	60	5	78072705425	8681282222018
	80	5	77696094995	8681282215232
	120	5	77696094998	8681282215225

DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
FLANGE MOUNTED FLAP WHEELS				
165 x 30 x 44	40	1	69957302475	8698526219895
	60	1	69957302488	8698526203986
	80	1	69957302498	8698526204037
	120	1	69957302509	8698526220037
	150	1	69957302515	8698526204174
165 x 50 x 44	40	1	69957302477	8698526203948
	50	1	69957302484	8698526203955
	60	1	69957302489	8698526203993
	80	1	69957302499	8698526204044
	100	1	69957302505	8698526204105
	120	1	69957302510	8698526204143
	150	1	69957302516	8698526204181
200 x 50 x 44	60	1	69957302522	8698526204211
	80	1	69957302492	8698526226688
	80	1	69957302501	8698526292386
	100	1	69957302506	8698526204112
250 x 50 x 44	180	20	69957302523	8698526291648
	80	1	69957302500	8698526226725
	150	1	69957302518	8698526204198
	180	1	69957302524	8698526204228
	220	10	69957302526	8698526204259

DIM (mm)	GRIT	PK QTY	ART NO.	EAN CODE
FOLDED WHEELS				
160 x 20	60	10	69957302331	8699309103011
	80	5	69957302332	8699309103028
	100	5	78072741210	8681282232543

NON-WOVEN DISCS FOR ANGLE GRINDERS



ATLAS SURFACE CONDITIONING DISC

SILVER ★★

Consists of high-performance enhanced abrasive grain for aggressive action for deburring, rapid light stock removal, whilst finishing the process in a shorter time and increasing the quality of the part. Combines 2 steps of cutting power with acceptable finishing level in 1 action. It gives the best results at 6000rpm. ideal for Stainless steel (INOX) applications.



DIM (mm)	PK QTY	ART NO.	EAN CODE
115 x 22,23 x 12	10	78072756234	8681282240999

ATLAS FINISHING DISC

SILVER ★★

Fine silicon carbide grains combine with its flexible structure to provide a controlled and smooth finishing. Steel, stainless steel and non-ferrous materials. It is a great option for a fine or satin finish on metals. Reduce grinder speed to approx. 6000 RPM for optimal results.



DIM (mm)	PK QTY	ART NO.	EAN CODE
115 x 22,23	10	78072756233	8681282240982

ATLAS DISC FOR CLEANING

SILVER ★★

Aluminum oxide flexible disc. Deburring, casting cleaning, rust & dirt removal, cleaning surface defects. Preferred for cleaning different angles or shapes without tearing or chunking. With its solid resin and premium aluminum oxide minerals, it provides aggressive cutting without surface burning. Ideal combination of flexibility, conformability and durability.



DIM (mm)	PK QTY	ART NO.	EAN CODE
115 x 22,23	10	78072756231	8681282240975

ATLAS RUST REMOVER CERAMIC MINERAL DISC

SILVER ★★

Versatile, high-grade ceramic made from ceramic abrasive grains and an abrasive substrate performance disk. Welding, cleaning, deburring, etc. with a single application rust-removing ceramic disc that gives very good results in applications.



DIM (mm)	PK QTY	ART NO.	EAN CODE
100 x 13	5	66261116976	8711479948640

Use with mandrel 7660707022 to mount on Straight Grinder.





CARBIDE BURRS


Understanding the product	52
Application by shape	53
Product recommendation	53
Carbide burrs	54



UNDERSTANDING THE PRODUCT

CARBIDE BURRS

DIMENSIONS & DESCRIPTION



16,0	x	25,0	x	60L65	CUT STYLE & SHAPE
D1		L1		D2 + L2	
Diameter of the head		Length of the head		Diameter of the shank and overall Length of the burr (OL)	Shape of the head

CUT STYLES



DC - DOUBLE CUT

Universal cutting, fast material removal, smooth finish and granular chip break of stainless steel, steel, cast iron, titanium, nickel and cobalt alloys.




ALU ALUMINIUM

For deburring of aluminium, aluminium alloys & plastic, wide tooth formation for easy chip flow.

APPLICATION BY SHAPE



A CYLINDER



B CYLINDER WITH END CUT



C BALL NOSED CYLINDER



E OVAL



F BALL NOSED TREE



G TREE



L BALL NOSED CONE

PRODUCT RECOMENDATION

	DC (DOUBLE CUT)	ALU CUT
STAINLESS STEEL	**	
CARBON STEEL	***	
CAST IRON	**	
TITANIUM	***	
NICKEL	***	
COOPER/COOPER ALLOYS	***	
ALUMINIUM		***
PLASTIC/WOOD		***

CARBIDE BURRS

BRONZE



Different burr shapes are available to suit a variety of geometries and applications. They offer fast stock removal and long life for great efficiency.

D1 x L1 x D2 x L2 (mm)	PK QTY	DC		ALU	
		ART NO.	EAN CODE	ART NO.	EAN CODE
SHAPE A					
12 x 25 x 60 x 70	1	78072754911	8681282236527	-	-
SHAPE B					
12 x 25 x 60 x 70	1	78072754912	8681282236534	-	-
SHAPE C					
6 x 19 x 60 x 50	1	78072754908	8681282236671	-	-
8 x 19 x 60 x 64	1	78072754913	8681282236541	-	-
10 x 20 x 60 x 65	1	78072754914	8681282236558	-	-
12 x 25 x 60 x 70	1	78072754916	8681282236565	78072754917	8681282236572
SHAPE E					
12 x 22 x 60 x 67	1	78072754918	8681282236589	-	-
SHAPE F					
10 x 20 x 60 x 65	1	78072754919	8681282236596	-	-
12 x 25 x 60 x 70	1	78072754920	8681282236602	78072754922	8681282236626
16 x 25 x 60 x 70	1	78072754921	8681282236619	-	-
SHAPE G					
6 x 16 x 60 x 50	1	78072754923	8681282236633	-	-
8 x 19 x 60 x 64	1	78072754924	8681282236640	-	-
12 x 25 x 60 x 70	1	78072754925	8681282236657	-	-
SHAPE L					
12 x 30 x 60 x 75	1	78072754926	8681282236664	-	-



DIAMOND BLADES

Understanding the product	56
Application colour coding	56
Pictograms	57
Diamond blades	58



UNDERSTANDING THE PRODUCT

DIAMOND BLADES

- 1 APPLICATION PICTOGRAMS
- 2 MATERIALS
- 3 PRODUCT DIMENSIONS
- 4 MAXIMUM SPEED
- 5 SAFETY SYMBOLS
- 6 PRODUCT CODE
- 7 SCANNABLE EAN CODE



APPLICATION COLOUR CODING



SELECTING THE RIGHT PRODUCT


The Atlas product line contains a wide range of diamond blades suitable for many different applications, in sizes ranging from 115mm to 350mm diameter, for use with Angle Grinder, Petrol Saw, Masonry Saw, Tile Saw, and Floor Saws. When choosing a diamond blade, it is important to carefully consider the material to be cut as using the blade for its specific purpose prolongs the life and cutting speed.

PICTOGRAMS

APPLICATION PICTOGRAMS




Roof Tiles




Ceramic and Porcelain Tiles




Bricks, Building Materials



Reinforced Concrete



Asphalt



Paving

MACHINE PICTOGRAMS



Angle Grinder



Petrol Saw



Masonry Saw



Tile Saw



Floor Saws

SAFETY PICTOGRAMS



Wear ear protection



Wear protective gloves



Wear a mask



Wear eye protection



Refer to instruction manual/booklet



Only permitted for grinding at an angle greater than 10°



Do not use for face grinding



Do not use if damaged



Do not use with hand-held grinding machine



All ATLAS diamond blades conform to the highest European safety standard, EN13236, which ensures that all products are manufactured and tested to the highest quality.

CERAMIC TILES

BRONZE ★



Description: Diamond blades featuring a continuous rim offering a good finish of cut.
Application: Ceramic and porcelain tiles.



DIMENSIONS DIA x H x T x BORE (mm)	PK QTY	ART NO.	EAN CODE
115 x 5 x 1.7 x 22.23	1	70184614173	5450248226574
125 x 5 x 1.7 x 22.23	1	70184614174	5450248226581
150 x 5 x 1,7 x 22,23	1	70184625499	5450248346098
180 x 7 x 1.7 x 25.4/22.23	1	70184622956	5450248232643

UNIVERSAL

BRONZE ★



Description: Segmented diamond blades.
Application: Building materials like bricks, pavers and other soft to medium hardness concrete building blocks.



DIMENSIONS DIA x H x T x BORE (mm)	PK QTY	ART NO.	EAN CODE
115 x 7 x 2 x 22.23	1	70184614167	5450248226512
125 x 7 x 2 x 22.23	1	70184614168	5450248226529
150 x 7 x 2.2 x 22.23	1	70184621134	5450248231028
180 x 7 x 2.3 x 22.23	1	70184614169	5450248226536
230 x 7 x 2.5 x 22.23	1	70184614170	5450248226543
300 x 7 x 2.9 x 20	1	70184614171	5450248226550
350 x 7 x 3.0 x 25.4	1	70184614187	5450248226710

UNIVERSAL TURBO

BRONZE ★



Description: Diamond blades featuring a corrugated Turbo continuous rim offering a good finish of cut.
Application: Building materials like bricks, pavers and other soft, medium and even hard concrete building blocks. These blades are ideal for roof tiles that need a good finish of the cut.



DIMENSIONS DIA x H x T x BORE (mm)	PK QTY	ART NO.	EAN CODE
115 x 7 x 2.2 x 22.23	1	70184614175	5450248226598
125 x 7 x 2.2 x 22.23	1	70184614176	5450248226604
150 x 7 x 2,2 x 22,23	1	70184623169	5450248233183
180 x 7x 2.5 x 22.23	1	70184614177	5450248226611
230 x 7 x 2.6 x 22.23	1	70184614178	5450248226628
300 x 7 x 3.2 x 20	1	70184614179	5450248226635
350 x 7 x 3.2 x 25.4	1	70184614188	5450248226727

UNIVERSAL MS SILVER ★★ LASER

Description: Laser-welded diamond blade.

Application: Building materials like bricks, pavers and concrete slabs. This blade is designed to be used on masonry saws.



DIMENSIONS DIA x H x T x BORE (mm)

PK QTY

ART NO.



EAN CODE

DIA x H x T x BORE (mm)	PK QTY	ART NO.	EAN CODE
350 x 10 x 2.8 x 25.4	1	70184622139	5450248232155

UNIVERSAL TP65 BRONZE ★

Description: Segmented diamond blade with 6,5mm thick segments.

Application: Removing of mortar joints between the bricks of a wall or between floor pavers.



DIMENSIONS DIA x H x T x BORE (mm)

PK QTY

ART NO.

EAN CODE

DIA x H x T x BORE (mm)	PK QTY	ART NO.	EAN CODE
115 x 6.5 x 6.5 x 22.23	1	70184623589	5450248330769
125 x 6.5 x 6.5 x 22.23	1	70184625554	5450248346197

LASER SILVER ★★ LASER

Description: Laser-welded diamond blades.

Application: Building materials like bricks, pavers and other concrete building blocks, reinforced concrete.



DIMENSIONS DIA x H x T x BORE (mm)

PK QTY

ART NO.

EAN CODE

DIA x H x T x BORE (mm)	PK QTY	ART NO.	EAN CODE
115 x 7 x 2 x 22.23	1	70184614181	5450248226659
125 x 7 x 2.2 x 22.23	1	70184614182	5450248226666
150 x 7 x 2.2 x 22.23	1	70184621847	5450248231844
180 x 7 x 2.4 x 22.23	1	70184614183	5450248226673
230 x 7 x 2.5 x 22.23	1	70184614184	5450248226680
350 x 7 x 2.8 x 20	1	70184614186	5450248226703
350 x 7 x 2.8 x 25.4	1	70184614189	5450248226734

LASER TURBO SILVER

Description: Laser-welded diamond blades with corrugated Turbo segments.

Application: Building materials like bricks, pavers and other concrete building blocks, reinforced concrete, natural stones and other hard materials.



DIMENSIONS DIA x H x T x BORE (mm)	PK QTY	ART NO.	EAN CODE
230 x 10 x 2.6 x 22.23	1	70184626957	5450248371625
350 x 10 x 3.2 x 20	1	70184626960	5450248371649
350 x 10 x 3.2 x 25.4	1	70184626961	5450248371656

ASPHALT SILVER

Description: Laser-welded diamond blades.

Application: Asphalt, green concrete and abrasive materials.




DIMENSIONS DIA x H x T x BORE (mm)	PK QTY	ART NO.	EAN CODE
300 x 8 x 2.5 x 20	1	70184620292	5450248230274
350 x 8 x 2.8 x 25.4	1	70184620294	5450248230267

UNIVERSAL CG2 BRONZE

Description: Diamond cup grinder with a double row of segments.

Application: Surfacing and grinding of building materials and concrete. The large segment surface provides a smooth finish.




DIMENSIONS DIA x H x BORE (mm)	PK QTY	ART NO.	EAN CODE
100 x 7 x 22.23/16	1	70184620526	5450248230229
125 x 7 x 22.23/16	1	70184614191	5450248227250

UNIVERSAL CG SLANT BRONZE

Description: Diamond cup grinder with slant segments.

Application: Surfacing and grinding of building materials and concrete. The reduced segment surface makes the cup more aggressive on harder materials.



DIMENSIONS DIA x H x BORE (mm)	PK QTY	ART NO.	EAN CODE
125 x 5 x 22.23	1	70184630374	5450248414926



Saint-Gobain Abrasives
Unicorn House
Unit 1, Amison Close
Redhill Business Park
Stafford
ST16 1WB
United Kingdom
Tel: +44 1785 279553
www.atlasabrasives.com



A SAINT-GOBAIN BRAND

www.atlasabrasives.com

Form # 4143

